Moresby Range National Park

Management Statement

2013



Prepared by: Queensland Parks & Wildlife Service (QPWS), Department of Environment, Science and Innovation

© State of Queensland 2024

The Department of Environment, Science and Innovation acknowledges Aboriginal peoples and Torres Strait Islander peoples as the Traditional Owners and custodians of the land. We recognise their connection to land, sea and community, and pay our respects to Elders past and present.

The department is committed to respecting, protecting, and promoting human rights, and our obligations under the Human Rights Act 2019.

This management statement does not intend to affect, diminish, or extinguish native title or associated rights.

The Queensland Government supports and encourages the dissemination and exchange of its information. This work is licensed under a Creative Commons Attribution 4.0 International License.



Under this licence you are free, without having to seek our permission, to use this publication in accordance with the licence terms. You must keep intact the copyright notice and attribute the State of Queensland as the source of the publication.

For more information on this licence, visit https://creativecommons.org/licenses/by/4.0/

Disclaimer

All due diligence and care has been taken in the preparation of this document based on the information in the 2013 management statement. The department holds no responsibility for any errors or omissions within this document. Any decisions made by other parties based on this document are solely the responsibility of those parties.

The Moresby Range National Park Management Statement 2013 has been extended in 2024 in line with the Queensland *Nature Conservation Act 1992* (s120G). Minor amendments have been made. There has been no change to the statement's original management intent and direction.

If you need to access this document in a language other than English, please call the Translating and Interpreting Service (TIS National) on 131 450 and ask them to telephone Library Services on +61 7 3170 5470.

This publication can be made available in an alternative format (e.g. large print or audiotape) on request for people with vision impairment; phone +61 7 3170 5470 or email library@des.qld.gov.au.

Park size:	616ha
Bioregion:	Wet Tropics
QPWS region:	Northern
Local government estate/area:	Cassowary Coast Regional
State electorate:	Hinchinbrook

Legislative framework

~	Aboriginal Cultural Heritage Act 2003
_	Environment Protection and Biodiversity
	Conservation Act 1999 (Cwlth)
~	Nature Conservation Act 1992
~	Land Protection (Pest and Stock Route
	Management) Act 2002
~	Wet Tropics Protection and Management Act 1993

Plans and agreements

\	National recovery plan for the southern cassowary
	Casuarius casuarius johnsonii 2007
_	National recovery plan for the spectacled flying fox
•	Pteropus conspicillatus
~	National Siam Weed Management Strategy
~	Wet Tropics of Queensland World Heritage Area
	Regional Agreement 2005

Thematic strategies

✓ Level 2 Fire Strategy

Vision

Moresby Range National Park continues to provide important cassowary habitat and a rugged scenic mountain landscape.

Conservation purpose

Moresby Range National Park was originally gazetted in 1973 containing over 244 hectares (ha). Multiple tenure acquisitions in the 1990s, and more recently in 2005, have resulted in the current park size.

The park provides important cassowary and spectacled flying-fox habitat and protects endangered tussock grassland.

Part of the park is in the Wet Tropics World Heritage Area.

Protecting and presenting the park's values

Landscape

Moresby Range National Park has very high scenic amenity. The park presents a natural landscape amongst surrounding developed residential and agricultural areas, and remains in a natural, unfragmented state.

The park is located adjacent to the Great Barrier Reef World Heritage Area and also adjoins Moresby Range Resources Reserve.

Moresby Range National Park is within the Johnstone River catchment and part of the park is within the Innisfail Area wetland, which is listed in the Directory of Important Wetlands of Australia (Ref: QLD149). The park's western boundary follows Ninds Creek for most of its length.

Moresby Range is comprised of Barnard Metamorphics, while the coastal plan is comprised of extensive Quaternary alluvial plains. The alluvial plains of Ninds Creek and the North and South Johnstone rivers are extensively used for agricultural production.

Regional ecosystems

Fourteen regional ecosystems are conserved on the park. Eleven are known to be of conservation significance (Table 1). The dominant regional ecosystem is vine forest on wet lowlands, foothills and uplands covers almost 75% of the park.

Wetland mapping indicates estuarine, riverine and palustrine regional ecosystems within the park.

Native plants and animals

The Atlas of Living Australia has over 1,000 records for the park and its immediate surroundings (Table 2).

Endangered southern cassowaries *Casuarius casuarius johnsonii* have been observed in the park. The park includes large areas of primary cassowary habitat. Maintaining the quality and integrity of this habitat is important. The park's vegetation is predominantly mesophyll vine forest, however, it also contains a range of North Queensland timber trees such as Johnstone River hardwood *Backhousia bancroftii*, northern silky oak *Cardwellia sublimis* and white beech *Gmelina dalrympleana*, as well as attractive fan palm *Licuala ramsayi* stands and mangrove areas.

The park's native plants and animals are threatened by pest plants and animals such as pond apple *Annona glabra* and pigs *Sus scrofa*.

Aboriginal culture

A registered native title claim which includes the park is currently active (Mamu People, QC01/015).

There is currently limited information available within Queensland Parks and Wildlife Service (QPWS) on the Aboriginal cultural significance of the park.

Shared-history culture

Moresby Range National Park (1978 boundary) was registered on the Register of the National Estate on 21 October 1980 as one of the few areas along the coast with rainforest at or close to the shoreline.

The area was harvested for high quality furniture timbers until the late 1970s.

Tourism and visitor opportunities

No tourism or visitor opportunities are currently available in the park, other than remote bushwalking where people must be self-reliant.

Camping opportunities are available outside the park at nearby Etty Bay, Coquette Point and Innisfail.

Partnerships

QPWS is responsible for the day-to-day management of the national park. The Wet Tropics Management Authority regulates activity in the Wet Tropics World Heritage Area. The goal of both agencies is to present the area's values while protecting its natural and cultural values.

Traditional Owners are involved in cooperative park management.

Other key issues and responses

Pest management

Currently there is no approved pest management strategy for the park.

Pond apple Annona glabra, a class 2 pest plant and a Weed of National Significance, has been found on the park.

The endangered tussock grassland (7.11.39) is threatened by pest plant invasion.

Miconia Miconia calvescens, a class 1 pest plant, occurs in about 30ha of the park.

Other pests species known to occur in the park include pigs Sus scrofa.

Fire management

The Corymbia intermedia and Eucalyptus open-forest and woodlands are an of concern regional ecosystem (7.11.18) dependent on appropriate fire management regimes.

Management directions

Desired outcomes	Actions and guidelines				
Landscape The Innisfail Wetland area is protected from disturbance.	Investigate the health of that part of the Innisfail Wetland area that is in the park and identify any rehabilitation or special protection necessary.				
Regional ecosystems Endangered and of concern regional	Protect the endangered tussock grasslands and of concern <i>Corymbia</i> intermedia and <i>Eucalyptus</i> open-forest and woodlands through appropriate pest				
ecosystems are maintained.	and fire management.				
Plants and animals					
Endangered southern cassowaries and their habitat are protected from disturbance.	Concentrate pest plant and animal control on species that threaten cassowaries or their habitat.				
Aboriginal culture					
Traditional Owners are involved in cooperative park management	Support the Traditional Owners involvement in park management.				
Pest management	Develop and implement a pest management strategy in consultation with				
The impact of pest plants and animals on species diversity and integrity is reduced.	adjoining landholders and other relevant stakeholders.				

Tables – Conservation values management

Table 1: Endangered and of concern regional ecosystems

Regional ecosystem number	Description	Biodiversity status
7.2.3	Corymbia tessellaris and/or Acacia crassicarpa and/or C. intermedia and/or C. clarksoniana woodland to closed-forest on beach ridges (predominantly Holocene).	Of concern
7.2.5	Mesophyll to notophyll vine forest of Syzygium forte subsp. forte on sands of beach origin.	Of concern
7.2.8	Melaleuca leucadendra open-forest to woodland on sands of beach origin.	Endangered
7.3.3	Mesophyll vine forest with Archontophoenix alexandrae, on poorly drained alluvial plains.	Endangered
7.3.5	Melaleuca quinquenervia and/or Melaleuca cajuputi closed-forest to shrubland on poorly drained alluvial plains.	Endangered
7.3.10	Simple-complex mesophyll to notophyll vine forest, on moderately to poorly-drained alluvial plains, of moderate fertility.	
7.3.19	Corymbia intermedia or C. tessellaris +/- Eucalyptus tereticornis open-forest (or vine forest with these species as emergents), on well-drained alluvium.	Of concern
7.3.25	Melaleuca leucadendra +/- vine forest species, open-forest to closed-forest, on alluvium fringing streams.	Of concern
7.11.18	Corymbia intermedia and/or C. tessellaris +/- Eucalyptus tereticornis open-forest to woodland (or vine forest with these species as emergents) on coastal metamorphic headlands and foothills.	
7.11.24	Closed vineland of wind-disturbed vine forest of metamorphic slopes, often steep and exposed.	Of concern
7.11.39	Themeda triandra, or Imperata cylindrica, Sorghum nitidum and Mnesithea rottboellioides closed tussock grassland of metamorphic headlands and near-coastal hills.	Endangered

Table 2: Species of conservation significance

Scientific name	Common name	Nature Conservation Act 1992 status	Environment Protection and Biodiversity Conservation Act 1999 status	Back on Track status
Animals				
Accipiter novaehollandiae	grey goshawk	Near threatened	-	Low
Aerodramus terraereginae	Australian swiftlet	Near threatened	-	Low
Casuarius casuarius johnsonii	southern cassowary	Endangered	Endangered	Medium
Crocodylus porosus	estuarine crocodile	Vulnerable	-	Low
Cyclopsitta diophthalma macleayana	Macleay's fig-parrot	Vulnerable	-	Low
Ephippiorhynchus asiaticus	black-necked stork	Near threatened	-	Low
Esacus magnirostris	beach stone-curlew	Vulnerable	-	High
Nettapus coromandelianus	cotton pygmy-goose	Near threatened	-	Low
Ninox rufa queenslandica	rufous owl (southern subspecies)	Vulnerable	-	Low
Numenius madagascariensis	eastern curlew	Near threatened	-	Low
Pteropus conspicillatus	spectacled flying-fox	Least concern Vulnerable		High
Sterna albifrons	little tern	Endangered -		High
Plants				
Elaeocarpus stellaris	-	Near threatened	-	Low

Species list derived from the WildNet and CSIRO - Atlas of Living Australia

Table 3: Species listed in international agreements

Scientific name	Common name	BONN	JAMBA	ROKAMBA	CAMBA
Actitis hypoleucos	common sandpiper	✓	✓	✓	✓
Apus pacificus	fork-tailed swift	-	✓	✓	✓
Ardea ibis	cattle egret	-	✓	-	✓
Ardea modesta	eastern great egret	-	✓	-	✓
Ardenna tenuirostris	short-tailed shearwater	-	✓	✓	-
Arenaria interpres	ruddy turnstone	✓	✓	✓	✓
Calidris acuminate	sharp-tailed sandpiper	✓	✓	✓	✓
Calidris canutus	red knot	✓	✓	✓	✓
Calidris ferruginea	curlew sandpiper	✓	✓	✓	✓
Calidris ruficollis	red-necked stint	✓	✓	✓	✓
Calidris tenuirostris	great knot	✓	✓	✓	✓
Charadrius leschenaultia	greater sand plover	✓	✓	✓	✓
Charadrius mongolus	lesser sand plover	✓	✓	✓	✓
Chlidonias leucopterus	white-winged black tern	-	✓	✓	✓
Coracina tenuirostris	cicadabird	-	✓	-	-
Crocodylus porosus	estuarine crocodile	✓	-	-	-
Egretta sacra	eastern reef egret	-	-	-	✓
Fregata ariel	lesser frigatebird	-	✓	✓	✓
Gallinago hardwickii	Latham's snipe	✓	✓	✓	✓
Haliaeetus leucogaster	white-bellied sea-eagle	-	-	-	✓
Hirundapus caudacutus	white-throated needletail	-	✓	✓	✓
Hydroprogne caspia	Caspian tern	-	✓	-	✓
Limicola falcinellus	broad-billed sandpiper	✓	✓	✓	✓
Limosa limosa	black-tailed godwit	✓	✓	✓	✓
Merops ornatus	rainbow bee-eater	-	✓	-	-
Monarcha melanopsis	black-faced monarch	✓	-	-	-
Myiagra cyanoleuca	satin flycatcher	✓	-	-	-
Numenius madagascariensis	eastern curlew	✓	✓	✓	✓
Numenius minutus	little curlew	✓	✓	✓	✓
Numenius phaeopus	whimbrel	✓	✓	✓	✓
Pandion cristatus	eastern osprey	✓	-	-	-
Plegadis falcinellus	glossy ibis	✓	-	-	✓
Pluvialis fulva	Pacific golden plover	✓	✓	✓	✓
Rhipidura rufifrons	rufous fantail	✓	-	-	-
Stercorarius pomarinus	pomarine jaeger	-	✓	-	✓
Sterna albifrons	little tern	✓	✓	✓	✓
Sterna hirundo	common tern	-	✓	✓	✓
Symposiarchus trivirgatus	spectacled monarch	✓	-	-	-
Tringa brevipes	grey-tailed tattler	✓	✓	✓	✓
Tringa glareola	wood sandpiper	✓	✓	✓	✓
Tringa nebularia	common greenshank	✓	✓	✓	✓

Scientific name	Common name	BONN	JAMBA	ROKAMBA	CAMBA
Xenus cinereus	terek sandpiper	✓	✓	✓	✓

Species list derived from the WildNet and CSIRO - Atlas of Living Australia $\,$

BONN - Bonn Convention

CAMBA - China-Australia Migratory Bird Agreement

JAMBA – Japan–Australia Migratory Bird Agreement

ROKAMBA - Republic of Korea-Australia Migratory Bird Agreement